

**Advanced Medical Imaging Technology (AMIT)
Magnetic Resonance Imaging (MRI)
Screening Questionnaire**

This form is required to be completed by all AMIT MRI students.

The MR system is a very strong magnetic field that may be hazardous to individuals entering the MR environment or MR system room if they have certain metallic, electronic, magnetic, or mechanical implants, devices or objects. Therefore, all individuals are required to fill out this form BEFORE entering the MR environment or MR system room. Be advised, the MR system magnet is ALWAYS on.

Last name:

First name:

Email address:

Phone number:

Have you had prior surgery or an operation of any kind?	Yes	No
---	-----	----

If yes, then please indicate date and type of surgery:

Have you had an injury to the eye involving a metallic object (e.g. metallic slivers, foreign body)?	Yes	No
--	-----	----

If yes, please describe:

Have you ever been injured by a metallic object or foreign body?	Yes	No
--	-----	----

If yes, please describe:

Warning:

Certain implants, devices or objects may be hazardous to you in the MR environment or MR system room. Do not enter the MR environment or MR system room if you have any question or concern regarding an implant, device or object.

Please indicate if you have any of the following:

Aneurysm clip(s)
Cardiac pacemaker
Implanted cardioverter defibrillator (ICD)
Electronic implant or device
Magnetically-activated implant or device
Neurostimulation system
Spinal cord stimulator
Cochlear implant or implanted hearing aid
Insulin or infusion pump
Implanted drug infusion device
Any type of prosthesis or implant
Artificial or prosthetic limb
Any metallic fragment or foreign body
Any external or internal metallic object
Hearing aid
Other implant/device

Important Instructions:

Remove all metallic objects before entering the MR environment or MR system room including hearing aids, beeper, cell phone, keys, eyeglasses, hair pins, barrettes, jewelry (including body piercing jewelry), watch, safety pins, paperclips, money clip, credit cards, bank cards, magnetic strip cards, coins, pens, pocket knife, nail clipper, steel-toed boots/shoes, and tools. Loose metallic objects are especially prohibited in the MR system room and MR environment.

Please consult with the Advanced Medical Imaging Technology (AMIT) program if you have any question, or concern, BEFORE you enter the MR system room or the AMIT program.

I attest that the above information is correct to the best of my knowledge. I have read and understand the entire contents of this form and have had the opportunity to ask questions regarding the information on this form. It is my responsibility to notify the AMIT program should any of the above answers change.

Signature

Date